# PRODUCT DATA SHEET



## PRODUCT CODE

CH19BNKL

## RANGE

Chelsea

## DESCRIPTION

Chelsea Straight Spout Basin 1 Tap Hole Mono Brushed Nickel

**WEBSITE LINK** Click Here

| | |
|---|---|
| **CATEGORY** | Brassware |
| **WARRANTY DETAILS** | 15 Years |
| **COLOUR** | Brushed Nickel |
| **FINISH APPLICATION** | PVD |
| **PRIMARY MATERIAL** | Brass |
| **SECONDARY MATERIAL** | Vitreous China |
| **INSTALL TYPE** | Deck Mounted |
| **PRODUCT WIDTH MM** | 48 |
| **PRODUCT HEIGHT MM** | 160 |
| **PRODUCT LENGTH MM** | 167 |
| **PRODUCT NET WEIGHT KG** | 1.19 |
| **MINIMUM PRESSURE (BAR)** | 0.5 |
| **MAX WORKING PRESSURE (BAR)** | 5 |

| | |
|---|---|
| **APPROVAL** | WRAS 250988004 |
| **NUMBER OF OUTLETS** | 1 |
| **NUMBER OF FUNCTIONS** | 1 |
| **HEADWORK** | 35mm Single lever ceramic cartridge |
| **SPOUT PROJECTION** | 132 |
| **SWIVEL SPOUT** | No |
| **INLET CONNECTIONS THREAD** | G1/2” |
| **FLOW REGULATOR** | Flow straightener & Aerator Caché Honeycomb |
| **WASTE INCLUDED** | No |
| **ANTI-SCALD PROTECTION** | No |
| **ENERGY SAVING** | No |


| **PRESSURE (BAR)** | **0.2** | **0.5** | **1** | **2** | **3** | **4** | **5** |
|---|---|---|---|---|---|---|---|
| PRIMARY FLOWRATE | | 6.5 | 8.21 | 14.36 | 18 | 21 | 23.7 |
| HANDSET FLOWRATE | | | | | | | |
| MASSAGE FLOW RATE | | | | | | | |
| AIR FLOW RATE | | | | | | | |
| WIRE FLOW RATE | | | | | | | |
| WATERFALL FLOW RATE | | | | | | | |
| MIST FLOW RATE | | | | | | | |
| HANDSPRAY FLOW RATE | | | | | | | |


Part of the
Bathroom Brands Group


# TECHNICAL DIMENSIONS

Dimensions in mm unless otherwise specified.

Tolerances (per material type) apply.



## SPARES LIST

Only the parts labelled are available as spares.

| NUMBER | PART CODE | DESCRIPTION |
|---|---|---|
| 1 | SP579 | cartridge for CH19CH21CH23 |
| 2 | SP655 | pair of flexible hose for T12, T13, CH19 |
| 3 | SP942 | Spare tap Fixings for Chelsea mixers |
| 4 | SP449 | Burlington spare 1/2" flow straightener |
| 5 | SP47 | B Logo Ceramic Indice (D=21.4mm) |